

155 CHAMAELEON HS CLEAR COAT

155 CHAMÄLEON HS KLARLACK



- High UV protection
- Provides deep gloss and brightness
- Scratch resistant
- Excellent durability against mechanical, chemical and climatic influences
- Economical, reduces the time of application
- Non yellowing

- Improved drying time (**6-7 hours** with fast hardener at temperature **20 °C**)
- Applied in **1,5-2 layers**
- Can be applied without adding thinner or with up to **10%** of thinner

Name	Packing	Article	Package
Clear Coat	1 l	11555	6
Clear Coat	5 l	11558	4
Hardener Slow	0,5 l / 2,5 l	12214 / 12217	6 / 4
Hardener Standart	0,5 l / 2,5 l	12224 / 12227	6 / 4
Hardener Fast	0,5 l / 2,5 l	12354 / 12357	6 / 4
Hardener Universal	0,5 l / 2,5 l	12504 / 12507	6 / 4



155:222
2:1

2 - 3 bar

4 - 6 h
20 °C

18 - 20 sec
DIN 4/20 °C

1, 3 - 1,4 mm

5 - 10 min
20 °C

1,5 - 2
layers

6 - 12 h - 20 °C
30 min - 60 °C

15 - 20 min