



Article number:

CHAMÄLEON GMBH RUDOLF-DIESEL-STRASSE 8A 69115 HEIDELBERG GERMANY

 FON
 0049 (0) 6221 - 520 440

 FAX
 0049 (0) 6221 - 520 449

 MAIL
 INFO@CHAMAELEON-PRODUKTION.DE

 WBW
 WWW.CHAMAELEON-PRODUKTION.DE

CHAMALEON

TECHNICAL DATA SHEET

Revision date: 22.10.2019

RUST STOP & SEALER

39010

Intended use:		Car refinishing Product/ Sealing
General characteristics Color: Hardener: Mixing ratio: Dilution:	:	Rust Stop & Sealer converts moisture present in rust layers into carbon dioxide and thus cuts off the source of oxidation. The substrate gets cured and sealed. Loose rust must be removed by rough sanding. Rust Stop & Sealer has an excellent penetration capacity also in thick layers of rust and also stops zinc corrosion. Shortly after the application the rust layers are already sealed and can be overcoated with 1K or 2K primer or body filler. Adhesion on iron, steel, aluminium and zinc. colourless
Spraying viscosity 4 mm DIN:		Ready to spray
Application method:		
Application method	Pressure	Nozzle
Gravity spray gun	2.0 - 2.2 bar	1.2 - 1.3 mm
HVLP	2.0 - 2.2 bar	1.2 - 1.3 mm

0.7 bar internal nozzle pressure

Processing conditions:

Ensure you get an adequate supply of fresh air and have an exhaust ventilation. Working temperature must be at least +10°C. Max. air humidity 80 %.

Spraying operations	DFT	Consumption
1 - 2		15 - 20 m²/l





CHAMÄLEON GMBH / RUDOLF-DIESEL-STRASSE 8A / 69115 HEIDELBERG / GERMANY

CHAMÄLEON GMBH RUDOLF-DIESEL-STRASSE 8A 69115 HEIDELBERG GERMANY

 FON
 0049 (0) 6221 - 520 440

 FAX
 0049 (0) 6221 - 520 449

 MAIL
 INFO@CHAMAELEON-PRODUKTION.DE

 WEB
 WWW.CHAMAELEON-PRODUKTION.DE

Flash-off time: Between the coatings 5 - 8 minutes

Before the oven drying

Drying: Object temperature 20 °C Dust free 10 - 15 minutes Recoatable 30 - 60 minutes

Pot life at 20 °C

VOC regulation:

EU limit value: Category B/e 840 g/l This product contains max. 756 g/l.

Processing tips:

Apply Rust Stop & Sealer by brush on the substrate. Before applying, remove loose surface rust, oil, grease and dirt as well as underfilm corrosion. Rust Stop & Sealer reacts with moisture. Close the can immediately after use. Smaller quantities should first be taken out of the can and then be applied.

This release replaces all eventually earlier issued versions.

For additional information, not contained in this Technical Data Sheet, please contact the supplier via: info@chamaeleon-produktion.de