

FON 0049 (0) 6221 - 520 440 FAX 0049 (0) 6221 - 520 449

MAIL INFO@CHAMAELEON-PRODUKTION.DE WEB WWW.CHAMAELEON-PRODUKTION.DE

Revision date: 15.11.2018

# SAFETY DATA SHEET according to 1907/2006/EC, Article 31

# 1- IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/ UNDERTAKING

**Product details** 

**Trade name:** Polyurethane adhesive for windscreens

**Article number: 37731** 

Recommended use of the chemical and restrictions on use

**Recommended Use:** Bonding and sealing

Advised Against: At this moment in time we do not have information on use restrictions. They will be

included in this document when available

**Intended use:** Car refinishing product/Adhesives, sealants

Manufacturer/Supplier:

Chamäleon GmbH

Rudolf-Diesel-Straße, 8a, 69115 Heidelberg

Germany

Further information obtainable from: Product Safety Department

**Information in case of emergency:** + 49 70024112112 (CH)

# <u> 2 – HAZARDS IDENTIFICATION</u>

## **GHS Classification**

Resp.Sens: Cate.1

Carcinogenicity: Cate.2

Repr: Cate.1B STOT RE: Cate.2 Skin Irrit: Cate.2 Eye Irrit: Cate.2 Skin sens: Cate.1 STOT SE: Cate.3 GHS Labelling Hazard pictograms:





FON 0049 (0) 6221 - 520 440 FAX 0049 (0) 6221 - 520 449

MAIL INFO@CHAMAELEON-PRODUKTION.DE WEB WWW.CHAMAELEON-PRODUKTION.DE

# Signal Word: Warning **Hazard Statements:**

H315: Causes skin irritation.

H319: Causes serious eye irritation

H317: May cause an allergic skin reaction

H335: May cause respiratory

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H351: Suspected of causing cancer

H360FD: May damage fertility, May damage the unborn child

H373: May cause damage to organs through prolonged or repeated exposure

# **Precautionary Statements:**

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P284: Wear respiratory protection.

P305 + P351+ P338: IFINEYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405: Store locked up

P501: Contents/container handling to approved waste treatment plants

Other Hazards: No information available.

## 3– COMPOSITION/INFORMATION ON INGREDIENTS

**Substance/mixture:** Mixture **Hazardous components** 

Chemical name	CAS-No.	Concentration(Wt%)	Classification
Polyether Polyol	25322-69-4	40-50	Not Classified
Polyisocyanate Mistures	101-68-8	15-20	Resp. Sens. 1 H334; Eye Irrit. 2 H319; Carc. 2 H351; Skin Irrit. 2 H315
DOP Plasticizer	117-81-7	10-25	Repr. 1B H360FD; Aquatic Acute 1 H400
Carbon black	1333-86-4	1-15	Not Classified

<sup>\*</sup>The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a tradesecret.

# 4– FIRST - AID MEASURE

# Description of necessary first aid measures



FON 0049 (0) 6221 - 520 440 FAX 0049 (0) 6221 - 520 449

MAIL INFO@CHAMAELEON-PRODUKTION.DE WEB WWW.CHAMAELEON-PRODUKTION.DE

#### General advice:

In the case of accident or if you feel unwell ,seek medical advice immediately with this document, refer to following.

## If inhaled:

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical advice/attention if victim feel unwell.

# In case of skin contact:

In case of contact, immediately flush skin with soap and plenty of water.

Remove contaminated clothing and shoes.

Get medical attention.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

# In case of eye contact:

Immediately flush eyes with plenty of water for at least 15 minutes.

If easy to do, remove contact lens.

Get medical attention.

#### If swallowed:

DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

# Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

Causes serious eye irritation.

Causes damage to organs through prolonged or repeated exposure.

Ingestion is likely to be harmful or have adverse effects.

## **Protection of first-aiders**

First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.

## Notes to physician

Treat symptomatically and supportively.

#### 5- FIRE - FIGHTING MEASURE

Fire Hazard: Not flammable.

Flash point: Above 93°C (Close cup)

Suitable extinguishing media: Water spray, Alcohol-resistant foam, Carbon dioxide (CO2), Dry chemical

powder.

Unsuitable extinguishing media: Water spray, Alcohol-resistant foam, Carbon dioxide (CO2), Dry

chemical powder.

**Specific hazards during firefighting:** Exposure to combustion products may be a hazard to health.

Chamäleon GmbH- Safety Data Sheet



FON 0049 (0) 6221 - 520 440 FAX 0049 (0) 6221 - 520 449

MAIL INFO@CHAMAELEON-PRODUKTION.DE WEB WWW.CHAMAELEON-PRODUKTION.DE

Hazardous combustion products: Irritating organic vapors may be formed.

**Specific extinguishing methods:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

**Protective equipment for firefighters:** In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

# <u>6– ACCIDENTAL RELEASE MEASURE</u>

# Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. Keep unprotected persons away.

Follow safe handling advice and personal protective equipment recommendations. Avoid contact with skin, eyes and inhalation of vapors.

Remove all sources of ignition.

Use personal protection recommended in Section 8.

# **Environmental precautions:**

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages cannot be contained.

# Methods and materials for containment and cleaning up:

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.

Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

# Reference to other sections:

See Section 7 for more information.

See section 8 for more information.

See section 13 for more information.

See section 15 for more information.

# 7- HANDLING AND STORAGE

# **Local/Total ventilation:**

Use only with adequate ventilation.

# Precautions for safe handling:

Use only as directed on the label.

4



FON 0049 (0) 6221 - 520 440 FAX 0049 (0) 6221 - 520 449

MAIL INFO@CHAMAELEON-PRODUKTION.DE WEB WWW.CHAMAELEON-PRODUKTION.DE

Do not swallow and get in eyes.

Handle in accordance with good hygiene and safety practice.

Keep away from water, fire, heat and oxide.

Protect from moisture.

Take care to prevent spills, waste and minimize release to the environment.

Persons susceptible to allergic reactions should not handle this product.

See Engineering measures under Section 8.

# **Conditions for safe storage:**

Keep in properly labelled containers.

Store locked up.

Store in accordance with the particular national regulations.

#### Materials to avoid:

Strong oxidizing agents, Organic peroxides, Acids, Foodstuffs, Explosives, Hot, Heat.

# 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

# **Components with workplace controlparameters:**

Contains no substances with occupational exposure limit values.

## **Exposure controls:**

Personal protective equipment

## **Respiratory protection:**

Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended, In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

# Hand protection:

Material: butyl-rubber.

Break through time: >120 min.

Glove thickness: 0.1 mm.

Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

## Eye protection:

Wear the following personal protective equipment: Safety goggles

## Skin and body protection:

Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

## **Hygienic measures:**

STEUERNUMMER / TAX NR.: DE 231468544

Ensure that eye flushing systems and safety showers are located close to the working place.

GENODE61HD1

Chamäleon GmbH- Safety Data Sheet



FON 0049 (0) 6221 - 520 440 FAX 0049 (0) 6221 - 520 449

MAIL INFO@CHAMAELEON-PRODUKTION.DE WEB WWW.CHAMAELEON-PRODUKTION.DE

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Do not inhale gases / fumes / aerosols.

# 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Paste Peculiar odor Odor: pH: N/AMelting point/freezing point: N/A Boiling point/Boiling range: N/A> 93 °C Flash point: Density: N/A Solubility in Water: **Poorly** Flammability(solid, gas): N/A Explosion area: N/A Vapour pressure: N/A Relative vapour density: N/A Explosive properties: N/A N/A Oxidizing properties:

**Remark:** These values are not intended for use in preparing specifications.

## 10-STABILITY AND REACTIVITY

**Reactivity:** Not classified as a reactivity hazard. **Chemical stability:** Stable under normal conditions. **Possibility of hazardous reactions:** No date available.

Conditions to avoid: Exposure to moisture

**Incompatible materials:** Material starts to cure in the presence of humid air or moisture.

**Hazardous decomposition products:** No date available.

# <u>11– TOXICOLOGICAL INFORMATION</u>

**Information on likely routes of exposure:** Not classified based on available information.

**Potential Health Effects/Symptoms** 

**Inhalation:** Cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain



GERMANY

FON 0049 (0) 6221 - 520 440 FAX 0049 (0) 6221 - 520 449

MAIL INFO@CHAMAELEON-PRODUKTION.DE WEB WWW.CHAMAELEON-PRODUKTION.DE

**Skin contact:** Bonds skin rapidly. Causes skin irritation, localized redness, swelling, itching, and dryness. May cause allergic skin reaction, redness, swelling, blistering, and itching.

Eye contact: Bonds eyelids rapidly. Causes serious eye irritation, significant redness, swelling,

pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion: Causes gastrointestinal irritation, abdominal pain, stomach upset, nausea, vomiting and diarrhea.

**Acute toxicity:** No further relevant information available.

# 12 – ECOLOGICAL INFORMATION

No further relevant information available

# 13- DISPOSAL CONSIDERATION

# **Disposal methods**

Waste from residues: Dispose of in accordance with local regulations.

# Contaminated packaging:

Empty containers should be taken to an approved waste handling site for recycling or disposal.

Do not pierce or burn, even after use.

If not otherwise specified: Dispose of as unused product.

# 14- TRANSPORT INFORMATION

## **UNRTDG:**

UN No. : N/A Class : N/A Pakaging group : N/A **Shipping Name** : N/A

# **Marine Transport IMDG-Code:**

UN No. : N/A Class : N/A Pakaging group : N/A Shipping Name : N/A

# **Road Transport ADR:**

BANK HEIDELBERGER VOLKSBANK EG

7



CHAMÄLEON GMBH RUDOLF-DIESEL-STRASSE 8A 69115 HEIDELBERG GERMANY

FON 0049 (0) 6221 - 520 440 FAX 0049 (0) 6221 - 520 449

MAIL INFO@CHAMAELEON-PRODUKTION.DE WEB WWW.CHAMAELEON-PRODUKTION.DE

 $\begin{array}{c} \text{UN No.} & : \text{ N/A} \\ \text{Class} & : \text{ N/A} \\ \text{Pakaging group} & : \text{ N/A} \\ \text{Shipping Name} & : \text{ N/A} \\ \end{array}$ 

Air Transport IATA-DGR:

UN No. : N/A
Class : N/A
Pakaging group : N/A
Shipping Name : N/A

**Regulatory information:** Safety, health and environmental regulations/legislation specific for the substance or mixture.

# <u> 15 – REGULATORY INFORMATION</u>

Safety, health and environmental regulations/legislation specific for the substance or mixture.

# <u>16-OTHER INFORMATION</u>

# **Full text of H-Statements:**

H315: Causes skin irritation.

H319: Causes serious eye irritation

H317: May cause an allergic skin reaction

H335: May cause respiratory

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H351: Suspected of causing cancer

H360FD : May damage fertility, May damage the unborn child

H373: May cause damage to organs through prolonged or repeated exposure

**National Fire Protection Association (U.S.A.):** 

Health : 2 Flammability : 1
Instability/Reactivity : 1 Special : N/A

# **Full text of other abbreviations:**

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ACGIH: American Conference of



CHAMÄLEON GMBH RUDOLF-DIESEL-STRASSE 8A 69115 HEIDELBERG GERMANY

FON 0049 (0) 6221 - 520 440 FAX 0049 (0) 6221 - 520 449 MAIL INFO@CHAMAELEON-PRODUKTION.DE WEB WWW.CHAMAELEON-PRODUKTION.DE

Governmental Industrial Hygienists; AIHA: American Industrial Hygiene Association; ASTM - American Society for the Testing of Materials; ATE:acute toxicity estimate; bw - Body weight; CEIL: Ceiling; CMRG: Chemical Manufacturer's Recommended Guidelines; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x\% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO -International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL- International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed ( Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OSHA: United States Department of Labor - Occupational Safety and Health Administration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substanc e; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the

Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; STEL: Short Term Exposure Limit; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); TWA: Time-Weighted-Average; UN - United Nations; UNRTDG - United Nations Recom-mendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative.

The information contained in these sheets is based on the present state of knowledge and current national legislation. It provides guidance on health, safety and environmental aspects and should not be construed as any guarantee of technical performance or suitability for particular applications.